

Introduction	4
Create your own stand	5
Base poles	6
Arms	8
VESA mounts	12
EFT mounts	16
Printer mounts	22
Keyboard mounts	23
Tablet mounts	24
Media holder	26
Accessories	27
SMART RETAIL project solution	30

With SMART RETAIL Parts we present to our customers the possibility to create the product they need. Especially resellers can keep parts on stock and supply them individually to their clients. This creates a major advantage in flexibility and availability. Select the parts you need to realize your solution.

Core Parts Series

Our core parts series provides all the essential parts needed to build your Smart retail mounting solution. We provide base poles, arms, VESA-, printer-, scanner-, keyboard-, tablet- and many other holders for all kind of devices. We will be introducing new mounting brackets as standard products on a regular basis. As a result of this process the number of supported devices will increase to ensure larger market coverage.



Modified Parts Series

When an essential part from our core series does not fit your requirements, look no further. With the modified part series we open up to full customizability. All parts in this product line can be changed or adjusted to our customer's needs. From additional cutouts to a combination holder for an EFT-Terminal and scanner, we got your ideas covered. In most cases we do not require a minimum order quantity. We want to present our partners and customers with the opportunity to create the product they need.



Colour

In the POS business the hardware often has to fit a certain theme. We offer our poles in three different default colors: Jet Black RAL 9005, Graphite Gray RAL 7024 and Light Grey RAL 7035. For bigger quantities it is also possible to provide a custom color. Contact us for further information.



Jet Black
RAL 9005

Graphite Gray
RAL 7024

Light Grey
RAL 7035

When getting started, you have to decide what kind of base you need for your application. They are available in different heights and diameters. For a set up with multiple mounts please select a B45 base pole. They are designed to carry more devices on a single stand. Or you can choose a 38 mm for single mount applications. We recommend to always check the dimensions before ordering.

For monitor mounts add VESA holders to your stand. We offer multiple versions that fit on either 38mm or 45mm. Depending on the circumstances you can select the version that is working for you best. If you are not sure which VESA holder you need, we are happy to help.

In the third step you can select arms to extend the range of your stand. They provide you the option to mount 38mm attachments, as always different versions are available. Please remember to check the compatibility between the arm and attachments you want to use.

After adding arms and VESA you can now round up the solution by adding more mounting brackets. Printer-, keyboard-, cash terminal- and scanner holders are only a few to name.




After successfully completing your stand creation you can simply send us the item numbers together with the colour of your choice. If you are interested in a project based solution please take a look at page 30 of this catalogue.



SR-A-01197






Arm; fix; 45mm to 38mm; regular version. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl. support ring.

-  40mm length
-  45mm base to regular 38mm
-  RAL 9005, 7024 and 7035

SR-A-01203






Arm; fixed; 45mm to 38mm; notch version; with Kensinkton slot. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl. support ring.

-  80mm length
-  45mm base to notch 38mm
-  RAL 9005, 7024 and 7035

SR-A-04012






Arm; fix; 45mm to 38mm; regular version. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl. 80mm cable holder and support ring.

-  150mm length
-  45mm base to regular 38mm
-  RAL 9005, 7024 and 7035

SR-A-04011






Arm; fix; 45mm to 38mm; notch version. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl.: 80mm cable holder and support ring.

-  150mm length
-  45mm base to notch 38mm
-  RAL 9005, 7024 and 7035

SR-A-01198






Arm; fix; 45mm to 38mm; regular version. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl. 160mm cable holder and support ring.

-  250mm length
-  45mm base to regular 38mm
-  RAL 9005, 7024 and 7035

SR-A-4362






Arm; fix; 45mm to 38mm; notch version. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl.: 160mm cable holder and support ring.

-  250mm length
-  45mm base to notch 38mm
-  RAL 9005, 7024 and 7035

SR-A-03279






Arm; fixed; 45mm to 38mm; regular version. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl. 200mm cable holder and support ring.

-  350mm length
-  45mm base to regular 38mm
-  RAL 9005, 7024 and 7035

SR-A-03892






Arm; fix; 45mm to 38mm; notch version. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl.: 200mm cable holder and support ring.

-  350mm length
-  45mm base to notch 38mm
-  RAL 9005, 7024 and 7035

PP-AFP-04461-XXXX






Arm; fix; 45mm to 38mm; pin version. Arm extension, used to connect B45 with pin attachments. Height adjustable, movable or fixed. Incl.: support ring. Used to mount on 45mm base poles.

-  80mm length
-  45mm base to pin attachments
-  RAL 9005, 7024 and 7035

PP-AFP-04466-XXXX






Arm; fix; 45mm to 38mm; pin version. Arm extension, used to connect B45 with pin attachments. Height adjustable, movable or fixed. Incl.: 80mm cable holder and support ring.

-  150mm length
-  45mm base to pin attachments
-  RAL 9005, 7024 and 7035

PP-AFP-04467-XXXX






Arm; fix; 45mm to 38mm; pin version. Arm extension, used to connect B45 with pin attachments. Height adjustable, movable or fixed. Incl.: 160mm cable holder and support ring.

-  250mm length
-  45mm base to pin attachments
-  RAL 9005, 7024 and 7035

PP-AFP-04470-XXXX






Arm; fix; 45mm to 38mm; pin version. Arm extension, used to connect B45 with pin attachments. Height adjustable, movable or fixed. Incl.: 200mm cable holder and support ring.

-  350mm length
-  45mm base to pin attachments
-  RAL 9005, 7024 and 7035

PP-AMP-04462-XXXX






Arm; moveable; 45mm to 38mm; pin version. Arm extension, used to connect B45 with pin attachments. Height adjustable, movable or fixed. Incl.: 200mm cable holder and support ring.

-  200-320mm length
-  45mm base to pin attachments
-  RAL 9005, 7024 and 7035

PP-AMN-4361-XXXX






Arm; moveable; 45mm to 38mm; notch version. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl.: 80mm cable holder and support ring.

-  200-320mm length
-  45mm base to notch 38mm
-  RAL 9005, 7024 and 7035

PP-ATN-01204-XXXX






Arm; tiltable; 45mm to 38mm; notch version. Arm extension, used to connect B45 with 38mm attachments. Height adjustable, movable or fixed. Incl.: cable holder and support ring.

-  2x 180mm length
-  45mm base to notch 38mm
-  RAL 9005, 7024 and 7035

PP-ATP-04525-XXXX



Arm; tiltable; 45mm to 38mm; pin version. Arm extension, used to connect B45 with pin attachments. Height adjustable, movable or fixed. Incl.: cable holder and support ring.

-  2x 180mm length
-  45mm base to pin attachments
-  RAL 9005, 7024 and 7035

PP-V45-03924-XXXX



VESA mount; 45mm; angled version (85mm); metal hinge. Monitor bracket for direct mounting to B45 poles. Height adjustable, movable or fixed. Incl. support ring.

- VESA 100 and 75
- 45mm direct mount
- RAL 9005, 7024 and 7035
- Recommendet from 3-10Kg

PP-V45-03923-XXXX



VESA mount; 45mm; angled version (85mm); metal hinge. Monitor bracket for direct mounting to B45 poles. Height adjustable, movable or fixed. Incl. support ring.

- VESA 75
- 45mm direct mount
- RAL 9005, 7024 and 7035
- Recommendet from 3-10Kg

PP-V45-03517-XXXX



VESA mount; 45mm; long version (120mm); metal hinge. Monitor bracket for direct mounting to B45 poles. Height adjustable, movable or fixed. Incl. support ring.

- VESA 100 and 75
- 45mm direct mount
- RAL 9005, 7024 and 7035
- Recommendet from 3-10Kg

PP-V45-03632-XXXX



VESA mount; 45mm; long version (120mm); metal hinge. Monitor bracket for direct mounting to B45 poles. Height adjustable, movable or fixed. Incl. support ring.

- VESA 75
- 45mm direct mount
- RAL 9005, 7024 and 7035
- Recommendet from 3-10Kg

PP-V45-03925-XXXX



VESA mount; 45mm; short version (65mm); metal hinge. Monitor bracket for direct mounting to B45 poles. Height adjustable, movable or fixed. Incl. support ring.

- VESA 100 and 75
- 45mm direct mount
- RAL 9005, 7024 and 7035
- Recommendet from 3-10Kg

PP-V45-03926-XXXX



VESA mount; 45mm; short version (65mm); metal hinge. Monitor bracket for direct mounting to B45 poles. Height adjustable, movable or fixed. Incl. support ring.

- VESA 75
- 200-320mm length
- RAL 9005, 7024 and 7035
- Recommendet from 3-10Kg

PP-V45-00562-XXXX



VESA mount; 45mm; top version; metal hinge. Monitor bracket for direct mounting to B45 poles, movable or fixed.

- VESA 100 and 75
- 45mm direct mount
- RAL 9005, 7024 and 7035
- Recommendet from 3-10Kg

PP-V45-03634-XXXX







VESA mount; 45mm; top version; metal hinge. Monitor bracket for direct mounting to B45 poles, movable or fixed.

- VESA 75
- 45mm direct mount
- RAL 9005, 7024 and 7035
- Recommendet from 3-10Kg

PP-V38-3406-XXXX



VESA mount; 38mm; plastic hinge. Monitor bracket for 38mm poles or arms, movable or fixed.

-  VESA 100 and 75
-  38mm notch attachment
-  RAL 9005, 7024 and 7035
-  Recommendet from 1-3Kg

PP-V38-3784-XXXX







VESA mount; 38mm; plastic hinge. Monitor bracket for 38mm poles or arms, movable or fixed.

-  VESA 75
-  38mm notch attachment
-  RAL 9005, 7024 and 7035
-  Recommendet from 1-3Kg

PP-V38-3815-XXXX







VESA mount; 38mm; metal hinge. Monitor bracket for 38mm poles or arms, movable or fixed.

-  VESA 100 and 75
-  38mm notch and regular attachment
-  RAL 9005, 7024 and 7035
-  Recommendet from 3-10Kg

PP-V38-03635-XXXX



VESA mount; 38mm; metal hinge. Monitor bracket for 38mm poles or arms, movable or fixed.

-  VESA 75
-  38mm notch and regular attachment
-  RAL 9005, 7024 and 7035
-  Recommendet from 3-10Kg

PP-VPI-3693-XXXX



VESA mount; pin; metal hinge. Monitor bracket for pin arms. Suitable for frequent rotary and pivoting movements.

-  VESA 100 and 75
-  Pin attachment
-  RAL 9005, 7024 and 7035
-  Recommendet from 3-10Kg

PP-VPI-04458-XXXX






VESA mount; pin; metal hinge. Monitor bracket for pin arms. Suitable for frequent rotary and pivoting movements.

-  VESA 75
-  Pin attachment
-  RAL 9005, 7024 and 7035
-  Recommendet from 3-10Kg

PP-PPH-00126-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  WestInt 8006
-  38mm notch attachments
-  RAL 9005, 7024 and 7035

PP-PPH-00153-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Ingenico IPP220
-  38mm notch attachments
-  RAL 9005, 7024 and 7035

PP-PPH-00213-XXXX






VESA mount; 45mm; top version; metal hinge. Monitor bracket for direct mounting to B45 poles, movable or fixed.

-  Ingenico Mobile Pro 3
-  38mm notch attachments
-  RAL 9005, 7024 and 7035

PP-PPH-00229-XXXX






VESA mount; 45mm; top version; metal hinge. Monitor bracket for direct mounting to B45 poles, movable or fixed.

-  First Data FD100GT
-  38mm notch attachments
-  RAL 9005, 7024 and 7035

PP-PPH-00239-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Verifone VX805C
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PPH-00258-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Ingenico ICT220/250
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PPH-00275-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop. Ind. screw for mounting.

-  Yomani XR
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PPH-00278-XXXX





Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Ingenico ML30
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PPH-00281-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Verifone MagiC P5
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PPH-00558-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Verifone VX520
-  38mm notch attachments
-  RAL 9005, 7024 and 7035

PP-PPH-00660-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Verifone H5000
-  38mm notch attachments
-  RAL 9005, 7024 and 7035

PP-PPH-01013-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Verifone VX805
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PPH-01322-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Ingenico IWL220
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PPH-01326-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Verifone VX1000SE
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PPH-01772-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop. Ind. screws for mounting.

-  Verifone VX825
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PPH-02027-XXXX






Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Ingenico IPP480
-  38mm notch attachment
-  RAL 9005, 7024 and 7035



PP-PPH-03426-XXXX




Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Ingenico IPP350
-  38mm notch attachment
-  RAL 9005, 7024 and 7035



PP-PPH-04325-XXXX




Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Verifone VX680
-  38mm notch attachment
-  RAL 9005, 7024 and 7035



PP-PPH-3373-XXXX

Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Verifone VX820
-  38mm notch attachments
-  RAL 9005, 7024 and 7035



PP-PPH-02098-XXXX




Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  CASTLES VEGA3000
-  38mm notch attachment
-  RAL 9005, 7024 and 7035



PP-PPH-04409-XXXX




Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  CCV BaseNext
-  38mm notch attachments
-  RAL 9005, 7024 and 7035



PP-PPH-00559-XXXX

Pin pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop.

-  Verifone VX675
-  38mm notch attachment
-  RAL 9005, 7024 and 7035



PP-PPH-03476-XXXX




Signature pad holder; plastic hinge. Eco version with metal retaining plate. Can be restricted in the rotation thanks to the angle stop. Incl. screws for mounting.

-  Signotec Colour Pad Omega
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-PH-00183-XXXX






Printer holder; fix angle. Core series mount for printers like EPSON TM-T88V or BIXOLON SRP-350III. Tilted by 20° to ensure better access for the user. With fixing screws to hold the device in place. Mountable on B38 stands or arms.

-  Printer with 150x180mm footprint
-  38mm notch and regular attachment
-  RAL 9005, 7024 and 7035

PP-PH-01066-XXXX






Printer holder; fix angle. Core series mount for printers with slightly wider footprint. Tilted by 20° to ensure better access for the user. With fixing screws to hold the device in place. Mountable on B38 stands or arms.

-  Printer with 160x177mm footprint
-  38mm notch and regular attachment
-  RAL 9005, 7024 and 7035

PP-PH-01864-XXXX






Printer holder; fix angle. Core series mount for EPSON TM-T70II. Tilted by 20° to ensure better access for the user. With bracket to hold the device in place. Mountable on B38 stands or arms.

-  For EPSON TM-T70II
-  38mm notch and regular attachment
-  RAL 9005, 7024 and 7035

PP-PH-01880-XXXX






Printer holder; fix angle. Core series mount for SEIKO RP-D10. Tilted by 20° to ensure better access for the user. With bracket to hold the device in place. Mountable on B38 stands or arms.

-  For SEIKO RP-D10
-  38mm notch and regular attachment
-  RAL 9005, 7024 and 7035

PP-KH-3626-XXXX






Keyboard holder; plastic hinge; for PC keyboards. Mount for standard pc keyboards. Adjustable angle thanks to plastic joint. Fixation via velcro possible. Incl. 2x velcro fastener.

-  for 400x150mm footprint
-  38mm notch attachment
-  RAL 9005, 7024 and 7035

PP-KH-04005-XXXX



Keyboard holder; metal hinge; for POS keyboards. mount for POS keyboards. Adjustable angle with pin connection for frequent movement. Fixation via velcro possible. Incl. 2x velcro fastener.

-  for 290x192mm footprint
-  Pin attachments
-  RAL 9005, 7024 and 7035



PPP-TH-00359-XXXX

Tablet holder; plastic hinge. Four sided universal tablet mount for thin consumer devices. Adjustable with screws to hold tables in place. Angle is tiltable by 180 ° for use on both sides.

△ W: 170-270mm, H: 135-230mm

✂ 38mm notch attachment

✍ RAL 9005, 7024 and 7035



PP-TH-03729-XXXX

Tablet holder; plastic hinge. Two sided universal tablet mount for thin consumer devices. Adjustable with screws to hold tables in place. Angle is tiltable by 180 ° for use on both sides.

△ adjustable height 150-220mm

✂ 38mm notch attachment

✍ RAL 9005, 7024 and 7035



PP-TH-03711-XXXX

Tablet holder; plastic hinge. X-Frame mount for defined tablet. Angle is tiltable by 180 ° for use on both sides.

△ SAMSUNG Galaxy Tab 10.1 or similar

✂ 38mm notch attachment

✍ RAL 9005, 7024 and 7035



PP-TH-04111-XXXX

Tablet holder; plastic hinge. Custom mount for defined tablet. Angle is tiltable by 180 ° for use on both sides. With cutout so printer cover can be opened while device is mounted.

△ Mini POS TabPT7003

✂ 38mm notch attachment

✍ RAL 9005, 7024 and 7035



PP-TH-04427-XXXX

Tablet holder; plastic hinge. Custom mount for defined tablet. Angle is tiltable by 180 ° for use on both sides. Compatible with all display sizes available for the device.

△ BOWA Modulino



✂ 38mm notch attachment

✍ RAL 9005, 7024 and 7035

PP-MH-04465-XXXX



Media holder; 10 pages. Page holder for printed information. Tilted by 10° to ensure better access for the user. Durable joint for frequent movement.

-  DIN A4 size
-  pin attachment
-  RAL 9005, 7024 and 7035

PP-MH-04464-XXXX






Media holder; 10 pages. Page holder for printed information. Tilted by 10° to ensure better access for the user. Durable joint for frequent movement.

-  DIN A5 size
-  pin attachment
-  RAL 9005, 7024 and 7035

PP-MH-04457-XXXX



Media holder; stack holder. Tilted by 10° to ensure better access for the user. Height adjustable, movable or fixed. Incl. support ring.

-  DIN A5 size
-  45mm direct mount
-  RAL 9005, 7024 and 7035

PP-CH-3449-XXXX



Plastic cable holder. For attaching and covering cables.

-  40mm length
-  45mm and 38mm poles
-  RAL 9005

PP-CH-02049-XXXX




Plastic cable holder. For attaching and covering cables.

-  80mm length
-  45mm and 38mm poles
-  RAL 9005

PP-CH-02050-XXXX




Plastic cable holder. For attaching and covering cables.

-  120mm length
-  45mm and 38mm poles
-  RAL 9005

PP-CH-02051-XXXX




Plastic cable holder. For attaching and covering cables.

-  160mm length
-  45mm and 38mm poles
-  RAL 9005

PP-CH-02052-XXXX






Plastic cable holder. For attaching and covering cables.

-  200mm length
-  45mm and 38mm poles
-  RAL 9005

PP-CP-00025-XXXX






Counter plate. Distributes forces over a larger area and provides more stability for installation.

-  B45 and B38
-  45mm and 38mm poles
-  RAL 9005, 7024 and 7035

PP-GP-03983-XXXX






Ground plate. Incl. 4x screws and tool. Provides mounting surface for demo installations on exhibitions and showrooms. Do not use for field installation.

-  300x250mm
-  45mm and 38mm poles
-  RAL 9005, 7024 and 7035

PP-GP-03932-XXXX






Ground plate. Incl. 4x screws and tool. Provides mounting surface for demo installations on exhibitions and showrooms. Can be used for standalone solutions with B38 stands.

-  250x200mm
-  45mm and 38mm poles
-  RAL 9005, 7024 and 7035

PP-SR-3722-XXXX






Support ring. Reinforces 45mm direct mounts and allows the movement of these.

-  45mm inside diameter
-  45mm poles
-  RAL 9005, 7024 and 7035

PP-TE-3470-XXXX






Top extension. Allows mounting of 38mm attachments on top of B45 poles. Requires the standard plastic insert from B45.

-  38mm
-  38mm notch attachments
-  RAL 9005, 7024 and 7035

PP-TI-03855-XXXX






Top insert; pastic. For customer displays with 33,6mm diameter pole. Adjustable height by two set screws.

-  33,6mm
-  45mm base pole
-  RAL 9005

PP-TI-03854-XXXX



Top insert; pastic. For customer displays with 28mm diameter pole. Adjustable height by two set screws

-  28mm
-  45mm base pole
-  RAL 9005, 7024 and 7035